

NAME

verify_bagit - Verify a BagIt archive, according to RFC 8493

SYNOPSIS

verify_bagit (-i|-b) *input_folder*

verify_bagit -h | -x

DESCRIPTION

Bash AVpres is a collection of Bash scripts for audio-visual preservation. One of these small programs is **verify_bagit**. It verifies an archive, according to the "BagIt File Packaging Format", as designed by the Library of Congress in the U.S.A. and standardised under RFC 8493. It also supports hash algorithms which are not recommended by RFC 8493.

Bash version 3.2 or later is strongly recommended. We advise to use the current version 5.2.

OPTIONS**BASIC OPTION**

-i *input_folder*, **--input=***input_folder*
input BagIt folder

-b *input_folder*, **--bagit=***input_folder*
input BagIt folder

Note that **-b** and **--bagit** are aliases of **-i** and **--input**.

ADVANCED OPTIONS

The arguments of the advanced options can be overwritten by the user, either by passing a different value when calling the script, or by setting it in the configuration file. Please remember that any string containing spaces must be quoted or its spaces must be escaped.

make_bagit and **verify_bagit** support the four unkeyed cryptographic hash functions MD5, SHA-1, SHA-256 and SHA-512 considered in RFC 8493, but the use of different and/or multiple algorithms in the same BagIt archive is currently not supported. In addition, **make_bagit** and **verify_bagit** also support the four non-cryptographic algorithm *xxh128*, *xxh64*, *xxh32* and *crc32*, but please remember that this does not follow the RFC 8493 specification at all! Of course, **verify_bagit** uses the algorithm provided by the given input folder.

The script needs an external command to compute recursively the hash checksums of all elements inside the folder.

--md5='/bin/md5sum'

MD5 command

--sha1='/bin/sha1sum'

SHA-1 command

--sha256='/bin/sha256sum'

SHA-256 command

--sha512='/bin/sha512sum'

SHA-512 command

--xxh128='/bin/xxsum -H128'

xxHash 128 command

--xxh64='/bin/xxsum -H64'

xxHash 64 command

--xxh32='/bin/xxsum -H32'

xxHash 32 command

--crc32='/bin/crc32'

CRC-32 command

--exclusion=(*file_list*)

The exclusion *file_list* is defined as an array and its default value is:

```
exclusion=( '.DS_Store' 'desktop.ini' )
```

To avoid any exclusion, use an empty array:

```
exclusion=()
```

INFORMATIVE OPTIONS

-h, --help

display a help message

-x, --options

display the advanced options with their default arguments and indicate if a local configuration has been defined or not

NOTES

BAGIT ARCHIVE STRUCTURE

The structure of a BagIt archive is

```
bagit.txt
data/<archive_content>
manifest-<algorithm>.txt
[bag-info.txt]
[fetch.txt]
[tagmanifest-<algorithm>.txt]
```

Only the 'bagit.txt' and 'manifest-<algorithm>.txt' files are mandatory, in addition to the 'data' folder, which contains the actual content of the archive.

RFC 8493 defines BagIt version 1.0, but for compatibility reasons the values from 0.93 to 0.97 are also considered valid and supported.

According to RFC 8493, the 'bag-info.txt' and 'tagmanifest-<algorithm>.txt' files are optional and **make_bagit** creates these always. The 'bag-info.txt' file contains metadata elements describing the bag and its payload and is intended primarily for human use. Yet the 'Payload-Oxum' metadata is used by **verify_bagit** to quickly detect incomplete bags, before performing any checksum validation. The 'tagmanifest-<algorithm>.txt' file contains the checksum manifest of all the other files generated.

The optional 'fetch.txt' file without any verification can be included in a BagIt archive with **make_bagit**. Only its presence can be checked with **verify_bagit**.

In addition, for sustainability and transparency reasons, **make_bagit** can embed its own source code as well as **verify_bagit** and **undo_bagit** ones into the BagIt folder: 'make_bagit.txt' is the script used to actually generate the BagIt archive, 'verify_bagit.txt' can be used to check its integrity and 'undo_bagit.txt' can be used to revert the Bagit archive.

Note that by default the '.DS_Store' files generated by macOS and the 'desktop.ini' files generated by Windows are deleted before the BagIt archive is verified. You can modify the default exclusion file list in the configuration file or by passing the **--exclusion=()** option.

CONFIGURATION FILE

An external configuration file

```
${HOME}/.config/AVpres/Bash_AVpres/verify_bagit.txt
```

can be defined, allowing the script to import alternate default values for the following options:

- md5
- sha1
- sha256
- sha512
- crc32
- xxh32
- xxh64
- xxh128
- exclusion

LOG FILES

Temporary log files are stored at

`/tmp/AVpres/verify_bagit.XXXXXXXXXX`

The log files can be used for debugging, for example by running **cat** on the address prompted with fatal error messages:

`cat /tmp/AVpres/verify_bagit.XXXXXXXXXX`

SEE ALSO

RFC 8493, "The BagIt File Packaging Format (V1.0)", October 2018

<https://www.rfc-editor.org/info/rfc8493>

RFC 1321, "The MD5 Message-Digest Algorithm", April 1992

<https://www.rfc-editor.org/info/rfc1321>

RFC 3174, "US Secure Hash Algorithm (SHA1)", September 2001

<https://www.rfc-editor.org/info/rfc3174>

"Descriptions of SHA-256, SHA-384, and SHA-512"

<https://web.archive.org/web/20130526224224/http://csrc.nist.gov/groups/STM/cavp/documents/shs/sha256-384-512.pdf>

make_bagit(1), **modify_bagit(1)**, **undo_bagit(1)** and **update_bagit(1)**.

md5sum(1), **sha1sum(1)**, **sha256sum(1)** and **sha512sum(1)**.

COPYRIGHT

Copyright (c) 2014-2025 by Reto Kromer

LICENSE

The **verify_bagit** Bash script is released under a 3-Clause BSD License.

DISCLAIMER

The **verify_bagit** Bash script is provided "as is" without warranty or support of any kind.